

3Kw 12V 48V Lithium Battery 100ah 260ah Lifepo4 Solar Lithium Batteries

Our Product Introduction

for more products please visit us on enikolnewenergy.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: ENIKOL
- Model Number: ESK1226D
- Minimum Order Quantity: 2 sets
- Price: \$626.00/sets 2-40 sets
- Packaging Details: Colorful box



Product Specification

- Battery Type: Lithium Ion
- Output Power Range: 0-5 KWh
- Dimension (L*W*H): 380*200*310mm
- Weight: 36.7KG
- System Type: Metal Simple Version
- Type: Split
- Grid Connection: Off Grid, Hybrid Grid
- Rated Capacity: 260AH (3328WH)
- Rated Voltage: 12.8V
- Display: LCD
- Cycle Life: ≥ 6000 Times
- Warranty: 3 Years
- Design Life: 20 Years
- Charging Temperature: 0 To +55
- Operating Temperature: -20 To +65



More Images



Our Product

Product Description

3kw Manufacturer Low Price 12v Solar Battery Lifepo4 100ah 260ah Lithium Batteries For Solar

Specification

item	value
Place of Origin	China
	Guangdong

Brand Name	ENIKOL
Model Number	ESK-D
Battery Type	Lithium Ion, LiFePO4, Other
Rated Capacity	260AH (3328WH)
Rated Voltage	12.8V
Display	LCD
Cycle life	≥ 6000 times
Warranty	3 years
Design Life	20 years
Charging temperature	0 to +55
Operating temperature	-20 to +65
Shell Material	Black painted steel(optional)
Other fuctions	Support series connection, bluetooth and battery heating (optional)

Attentions

- (1) Please check everything include spare parts are completed when you receive and open the package
- (2) Please read operation manual carefully and strictly follow it.
- (3) Please charge the new battery to full capacity before discharge for the first use.
- (4) Please take care to avoid over charge and over-discharge.
- (5) Please use the suitable charger for the lithium battery.
- (6) Please do not disassemble the battery without permission.
- (7) Please feel free to contact us for help when you meet any problem.

Product Description

Lithiumiron Phosphate(LiFePO4)

12.8V 25.6V 51.2V LiFePO4 pack



All round protection

6 kinds of safety electricity protection



Over temperature



Overvoltage



Overcharge



Low voltage alarm



Overdischarge



Short Circuit



High quality battery cell

Lithiumiron Phosphate(LiFePO4)



LiFePO4 APPLICATIONS

► MOTIVE POWER



Avg



Wheelchairs



Golf carts



Scissor Lift

► RENEWABLE ENERGY STORAGE SYSTEMS



Solar Panel Systems



Wind Power Systems

► LOCOMOTION & POWER FOR TRAVEL



RV




Yacht



PHEV

**Built-in intelligent BMS
system optimize the performance**



Product Parameters

○ ● ○



OEM and ODM services

Item	Specification				
Model	ESK-1213D	ESK1226D	ESK2413D	ESK2420D	ESK4820D
Rated capacity	130Ah(1664WH)	260AH(3328WH)	130Ah(3328WH)	200AH(5120WH)	200AH(10240WH)
Rated Voltage	12.8V		25.6V		51.2V
Charging limit voltage	14.6V		29.2V		58.4V
Max charging current	50A-120A				
Max continuous discharging current	100A-200A				
Weight(KG)	19	36.5		40	82
Display	LCD display				
Dimension (L * W * H) mm	330*200*220	380*200*310		530*320*210	530*400*320
Design life	20 years				
Cycle life	≥6000 times				
Other functions	Support serial connection, Bluetooth and battery heating functions (optional)				
Shell material	Black painted steel (optional)				
Charging temperature:	0 to + 55 ° C				
Operating temperature:	-20 to + 65° C				
Certificate	CE FCC UKCA UN38.3 MSDS				
Protection functions:	overcharge protection, over discharge protection, over-current protection, short circuit protection, over temperature protection and low voltage alarm.				

Customize the voltage, capacity and appearance according to your requirements, and also can use your authorized brand and trademark

Product Photograph



CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive (2014/53/EU) has been taken as reference for these processes.

Certificate's Holder Address Manufacturer Address Product Name Product Model (S) Trade Mark Rated Directive Related Standards Certificate Number Report No. Registration Date	German new energy technology (Shenzhen) Co., Ltd Plant A, Yanning road Industrial Park, Genyao Road, Tanliao community, Yuhang street, Guangming District, Shenzhen, China German new energy technology (Shenzhen) Co., Ltd Plant A, Yanning road Industrial Park, Genyao Road, Tanliao community, Yuhang street, Guangming District, Shenzhen, China Power Locom battery ESK4820CWP, ESK4820C, ESK4810C, ESK4810R, ESK4850C, ESK4818ACWP, ESK4850, ESK4820, ESK4850R, ESK4850CWP N/A 2014/53/EU EN IEC 61000-4-3:2021 EN IEC 61000-4-1:2019 HN320094314E 20200624314-ER Sep. 30, 2022
---	---

Certificate Number

The information of this certificate can be checked through www.cma.cn. The QR code symbol is shown on the certificate and can be used under the conditions that the products concerned are all in compliance with the EMC Directive of Community. The Manufacturer should be responsible for the related product order so that the products conform with the EMC Directive of the above mentioned Directive.

Certificate holder must notify at charges to the original certificate laboratory at 10:00.

Shenzhen HJMK Testing Technology Co., Ltd.

140-101, Baotian Rd, Gaoxin Technology Park, Nanshan District, Shenzhen, Guangdong, China
Tel: +86 755 2622 8070 Fax: +86 755 2622 8070 E-mail: hjmk@hjmkt.com Website: www.hjmkt.com

Our Cooperation Partner

LONGi 隆基

PHILIPS



Schneider Electric
施耐德电气






ZTE 中兴



EVE 亿纬锂能

CATL
宁德时代



ENIKOL Damien New Energy Technology (Shenzhen) Co., Ltd.

☎ 86 17727596282 ✉ andy@enikolnewenergy.com 🌐 enikolnewenergy.com

Guangming District, Shenzhen, Guangdong Province, China